

**EXCELITE**  
Crystal White List

Part No.	Market Designation	Range	ECE	SAE	Volt V	Watt W	Base	Test Volt V	Max. Watt W	Lumen Output Lm
10112	H1	CW			12	55	P14.5s	13.2	68	1000±15%
10312	H3	CW			12	55	PK22s	13.2	68	950±15%
10512	H4	CW			12	60/55	P43t	13.2	75/68	1100/700±15%
13412	H4	CW			12	60/55	P45t	13.2	75/68	1100/700±15%
10712	H7	CW			12	55	PX26d	13.2	58	950±10%
10912	H8	CW			12	35	PGJ19-1	13.2	43	550±15%
11012	H8B	CW			12	35	PGJ19-1	13.2	43	550±15%
23613	H8B	CW			12	55	PGJ19-1	13.2	62	800±15%
11112	H9	CW			12	65	PGJ19-5	13.2	73	1400±10%
11212	H9B	CW			12	65	PGJ19-5	13.2	73	1400±10%
23713	H9B	CW			12	100	PGJ19-5	13.2	100	1500±15%
11412	H11	CW			12	55	PGJ19-2	13.2	62	900±10%
11512	H11B	CW			12	55	PGJ19-2	13.2	62	900±10%
23813	H11B	CW			12	80	PGJ19-2	13.2	80	1200±15%
12012	H16	CW			12	19	PGJ19-3	13.2	26	350+10%/-15%
11812	H13 9008	CW			12	60/55	P26.4t	13.2	75/68	1000/700±15%
12212	HB1 9004	CW			12	65/45	P29t	12.8	70/50	800/500±15%
12312	HB2 9003	CW			12	60/55	P43t	12.8	72/65	900/600±10%
12412	HB3 9005	CW			12	60	P20d	13.2	73	1200±12%
12512	HB3A 9005XS	CW			12	60	P20d	13.2	73	1200±12%
12612	HB4 9006	CW			12	51	P22d	13.2	62	700±15%
12712	HB4A 9006XS	CW			12	51	P22d	13.2	62	700±15%
12812	HB5 9007	CW			12	65/55	PX29t	12.8	70/60	900/700±15%
13612	H27W/1 880	CW			12	27	PG13	13.2	31	350±15%
13712	H27W/2 881	CW			12	27	PGJ13	13.2	31	350±15%
16213	H1	CW			12	100	P14.5s	13.2	85	1150±15%
16413	H1	CW			24	100	P14.5s	28	108	1400±15%
16613	H3	CW			12	100	PK22s	13.2	85	1100±15%
16813	H3	CW			24	100	PK22s	28	108	1500±15%
17213	H4	CW			12	100/90	P43t	13.2	110/99	1500/1000±15%
17413	H4	CW			24	100/90	P43t	28	110/99	1500/850±15%
19413	H4	CW			24	130/100	P43t	28	140/99	1600/850±15%
17813	H4	CW			12	100/90	P45t	13.2	110/99	1500/1000±15%
18013	H4	CW			24	100/90	P45t	28	110/99	1500/850±15%
18113	H4	CW			24	130/100	P45t	28	140/99	1500/850±15%
18313	H7	CW			12	80	PX26d	13.2	80	1200±15%
18513	H7	CW			24	100	PX26d	28	90	1350±15%
20413	H8	CW			12	55	PGJ19-1	13.2	62	800±15%
20513	H9	CW			12	100	PGJ19-5	13.2	100	1500±15%
20613	H11	CW			12	80	PGJ19-2	13.2	80	1200±15%
21213	H13 9008	CW			12	100/80	P26.4t	13.2	105/84	1200/1000±15%
21513	HB1 9004	CW			12	100/80	P29t	12.8	100/80	1000/800±15%
21613	HB3 9005	CW			12	100	P20d	13.2	110	1400±15%
21713	HB3A 9005XS	CW			12	100	P20d	13.2	110	1400±15%
21813	HB4 9006	CW			12	80	P22d	13.2	85	1100±15%
21913	HB4A 9006XS	CW			12	80	P22d	13.2	85	1100±15%
22013	HB5 9007	CW			12	100/80	PX29t	12.8	106/88	1200/1000±15%