

EXCELITE
Super Vision List

Part No.	Market Designation	Range	ECE	SAE	Volt V	Watt W	Base	Test Volt V	Max. Watt W	Lumen Output Lm
10105	H1	SV	•	•	12	55	P14.5s	13.2	68	1550±15%
10305	H3	SV	•	•	12	55	PK22s	13.2	68	1450±15%
10505	H4	SV	•		12	60/55	P43t	13.2	75/68	1650/1000±15%
10705	H7	SV	•	•	12	55	PX26d	13.2	58	1500±10%
10905	H8	SV	•	•	12	35	PGJ19-1	13.2	43	800±15%
11005	H8B	SV	•	•	12	35	PGJ19-1	13.2	43	800±15%
11105	H9	SV	•	•	12	65	PGJ19-5	13.2	73	2100±10%
11205	H9B	SV	•	•	12	65	PGJ19-5	13.2	73	2100±10%
11305	H10 9145	SV	•		12	42	PY20d	13.2	50	850±15%
11405	H11	SV	•	•	12	55	PGJ19-2	13.2	62	1350±10%
11505	H11B	SV	•	•	12	55	PGJ19-2	13.2	62	1350±10%
11805	H13 9008	SV	•	•	12	60/55	P26.4t	13.2	75/68	1700/1100±15%
12205	HB1 9004	SV		•	12	65/45	P29t	12.8	70/50	1200/700±15%
12305	HB2 9003	SV	•	•	12	60/55	P43t	12.8	72/65	1500/910±10%
12405	HB3 9005	SV	•	•	12	60	P20d	13.2	73	1860±12%
12505	HB3A 9005XS	SV	•	•	12	60	P20d	13.2	73	1860±12%
12605	HB4 9006	SV	•	•	12	51	P22d	13.2	62	1095±15%
12705	HB4A 9006XS	SV	•	•	12	51	P22d	13.2	62	1095±15%
12805	HB5 9007	SV		•	12	65/55	PX29t	12.8	70/60	1350/1000±15%
13605	H27W/1 880	SV	•		12	27	PG13	13.2	31	477±15%
13705	H27W/2 881	SV	•		12	27	PGJ13	13.2	31	477±15%